customercare@nsrentals.com

301-428-3200 - 800-949-9000

Customer:	
Address:	
City, State, Zip:	
Phone:	
 Email:	

Product Catalog

Geotextiles and Erosion Control

<u>Filter Cloth</u>: Typically made from polypropylene or polyester, **geotextile fabrics/Filter Cloth** comes in three basic forms: **woven** (resembling mail bag sacking), **needle punched/non-woven** (resembling felt), or **heat bonded/non-woven** (resembling ironed felt).

Image	Item Number	Description	Size	Spec	Price			
	Woven Stabilization Fabric							
	(Marv) Can be used for stabilization, separation, reinforcement, and erosion control							
	applications. W	oven geotextile fabrics strive to pr		ability an	d deliver			
		superior load distr	ibution.					
	NSW150600	150#(grab tensile)	12.5'x432(600sy)					
	NSW200	200#(grab tensile)	12.5'x432(600sy)					
	NSW20015360	200#(grab tensile)	15'x360'(600sy)					
	NSW200W 200#(grab tensile) 17.5'x309'(600sy)							
	NSW315 315#(grab tensile) 12.5'x360'(500sy)							
	NSM706	Monofilament	12'x300'(400sy)					
	NSM370	Monofilament	12'x300'(400sy)		•			

*Woven 200LB. fabric can also be purchased by the foot.



Nonwoven-Drainage/Filtration (Marv)

Needle-punched to provide excellent strength and hydraulic characteristics necessary for ground stabilization, drainage, and erosion control applications.

NS3	Pipe Wrap 3oz 80#(grab tensile)	3'x360'(120sy)
NS140	90#(grab tensile)	12.5'x360'(500sy)
NS145	120#(grab tensile)	12.5'x360'(500sy)
NS160	160#(grab tensile)	12.5'x360'(500sy)
2214	205#(grab tensile)	12.5'x360'(500sy)
NS180	205#(grab tensile)	15'x300'(500sy)
NS1000	250#(grab tensile)	15'x300'(500sy)

^{*}Non-Woven fabric *NS180) can also be purchased by the foot.

Fabric Pins: Are a way of holding geotextile fabrics, landscape fabrics and erosion control mats and blankets in place.



Fabric Pins w/washer

Image	Item Number	Description	Size	Spec	Price
	PINS12	Fabric pin with washer	12" (100/box)		
	PINS18	Fabric pin with washer	18" (100/box)		 [

Geo-Grid: Is a geo-synthetic material used to reinforce soils and similar materials. **Geogrids** are commonly used to reinforce retaining walls, as well as subbases or subsoils below roads or structures. Soils pull apart under tension. Compared to soil, **geogrids** are strong in tension.

Compared to soil, geogrids are strong in tension.									
Image	Item NumberDescriptionSize				Price				
Biaxial Geogrid	Bi-Axial BX Geogrids have been used for mechanical ground stabilization in over half a million projects worldwide, including roads, reinforced foundations and working platforms.								
	NS11GRIDT	BX Geogrid 11	12.79'x328.08'(466sy)						
	NS12GRID	BX Geogrid 12	13.12'x164'(239.08sy)						
	Uni-Axial UX Geogrids are used for high strength soil reinforcement in wall and slope applications.								
	NS35GRIDBR	Uni Geogrid	12.8'x328' (466sy)						
	Other style geogrids are available upon request (EX. TRIAXLE-TX130)								

Silt Fence: a temporary sediment control device used on construction sites to protect water quality in nearby streams, rivers, lakes and seas from sediment (loose soil) in storm water runoff. (Manufactured on location)

Image	Item Number	Description	Size	Spec	Price
		Regular Silt Fence/no	o logo/all black	fabric	
	NS2800SF	3006-C36-200 (17 stakes)	30"x100'	MDE Spec	
	NS2801SF	3606-C42-200 (17 stakes)	36"x100'	MDE Spec	
	NS2075SF	3605-C42-200 (20 stakes)	36"x100'	DC Spec	
	NS2801WB	Reinforced silt fence (wire back silt fence)	36"x100' 2x4/14gauge Light fabric		
	SF30300	Silt Fence Fabric Only	30"x300'		
EQUIPMENT RENTALS CONTRACTOR SUPPLY 301-428-3200	Silt Fence with your company logo Have your Company Name, Logo & Phone # Printed on all Silt Fence/Super Silt Fence Fabric. This is a very cost effective form of advertising!				
	NS2801CL	3606-C42-200 LOGO	36"x100'	MDE Spec	
	NS2801NSLOGO	3606-C42-200 NS LOGO	36"x100'	MDE Spec	
	NS2075CL	3605-C42-200 LOGO	36"x100'	DC/MDE Spec	
	NS2800CL	3006-C36-200 LOGO	30"x100'		

Image	Item Number	Description	Size	Spec	Price
	vertically and ar immediately on c	Chain ally made from galvanized re bent into a zig-zag patte one side and each "zag" wi ne characteristic diamond	or LLDPE-coa ern so that eac th the wire im pattern seen ir	ted steel wire. The steel wire with the steel wire. The mediately on the steel this type of fen	th the wir e other. T
	60405	*Other sizes avail			1
	6GA25	6 gauge (2-3/8"	42"x25'	Baltimore	
	2260	opening) 9 gauge (2-3/8" opening)	42"x50'	Co MDE	
	2260-72	12.5 gauge	72"x50'		
	2200 72	Pos	II.		
	Used on chain	l link fencing. Lawn & Garc Fencing. Chai	-	e Fencing / Farm	Fencing.
	2268	N40131 SS40 (Heavy)	2 3/8"x6'	MDOT	
	2256	N20095 SS20 (Medium)	2 3/8"x6'	MDE	
	12286	N10-18gauge(ultra- light)	2 3/8"x6'		
	2256-8	DC Tree Post	1 5/8"x8'		
EQUIPMENT RENTALS CONTRACTOR SUPPLY	-	Fabric: (Logo and n pany Name, Logo & Pho abric. This is a very cost (Manufacture)	ne # Printed effective for	on all Silt Fence m of advertisin	
EQUIPMENT RENTALS CONTRACTOR SUPPLY 301-428-3200	fence f	pany Name, Logo & Pho abric. This is a very cost (Manufacture	ne # Printed effective for d on location	on all Silt Fence m of advertisin	
	fence f	pany Name, Logo & Pho abric. This is a very cost (Manufacture Non Logo Fabric	ne # Printed effective for d on location 50"x300'	on all Silt Fence m of advertisin) MDE	
	S300MDESF SS300MDELOGO	pany Name, Logo & Pho abric. This is a very cost (Manufacture Non Logo Fabric Logo Fabric	one # Printed effective for d on location 50"x300' 50"x300'	on all Silt Fence m of advertisin) MDE MDE	
	S300MDESF SS300MDELOGO S300DC	Non Logo Fabric Non Logo Fabric Non Logo Fabric Non Logo Fabric	pne # Printed effective for d on location 50"x300' 50"x300' 50"x300'	on all Silt Fence m of advertisin) MDE	
	S300MDESF SS300MDELOGO S300DC 29010	Non Logo Fabric Logo Fabric Non Logo Fabric Non Logo Fabric Logo Fabric Non Logo Fabric Non Logo Fabric Tension Wire	sine # Printed effective for d on location 50"x300' 50"x300' 50"x300' 1000'	on all Silt Fence m of advertisin) MDE MDE	
	S300MDESF SS300MDELOGO S300DC	Non Logo Fabric Non Logo Fabric Non Logo Fabric Non Logo Fabric	pne # Printed effective for d on location 50"x300' 50"x300' 50"x300'	on all Silt Fence m of advertisin) MDE MDE	
	S300MDESF SS300MDELOGO S300DC 29010	Non Logo Fabric Logo Fabric Non Logo Fabric Non Logo Fabric Logo Fabric Non Logo Fabric Non Logo Fabric Tension Wire	sine # Printed effective for d on location 50"x300' 50"x300' 50"x300' 1000'	on all Silt Fence m of advertisin) MDE MDE	
	S300MDESF SS300MDELOGO S300DC 29010 2257	Non Logo Fabric Logo Fabric Non Logo Fabric Non Logo Fabric Aluminum Pre Ties Hog Rings	50"x300' 50"x300' 50"x300' 1000'	on all Silt Fence m of advertisin) MDE MDE	
301-428-3200	\$300MDESF \$\$300MDELOGO \$300DC 29010 2257	Non Logo Fabric Logo Fabric Non Logo Fabric Non Logo Fabric Tension Wire Aluminum Pre Ties Hog Rings 12.5 Gauge	sine # Printed effective for d on location 50"x300' 50"x300' 1000' 1000/bag 1000/box	on all Silt Fence m of advertisin) MDE MDE	
301-428-3200	\$300MDESF \$\$300MDELOGO \$300DC 29010 2257 8446049	Non Logo Fabric Logo Fabric Non Logo Fabric Non Logo Fabric Non Logo Fabric Tension Wire Aluminum Pre Ties Hog Rings 12.5 Gauge Hog Rings (bulk)	50"x300' 50"x300' 50"x300' 1000' 1000/bag 100/box 5lb. box 1000 ct.	on all Silt Fence m of advertisin) MDE MDE	

^{*}Pricing is subject to change without notice*

Sediment Bags: Also known as dewatering bags, filter bags, dirt bags, etc. These bags collect sand, silt and fines, while regulating that enters streams, surrounding property and storm sewers.

Image	Item Number	Description	Size	Spec	Price
	Other sizes are made to order				
	FB6X6	NS Dewatering Bag	6'x6'		
	FB7.5X7.5	NS Dewatering Bag	7.5'x7.5'		
	FB15X15	NS Dewatering Bag	15'x15'		

Hardwood Stakes: Used for silt fencing, tree staking, and many other uses. Various sizes, all pencil pointed.							
Image	Item Number	Description	Size	Spec	Price		
	Other sizes are made to order						
	1236	Grade Stake	1x2x36"25/Bundle				
	2221	Tree Stake,C42	2x2x42"	MDE			
	2225	Tree Stake,C60	2x2x60"				
	STAKES	Tree Stake,C72	2x2x72"				

Grass Seed: Over seeding — planting grass seed into existing turf — provides the opportunity to improve your lawn's overall look and health, thicken the turf to minimize weeds, fill in bare or damaged areas and/or convert to another type of lawn.

Image	Item Number	Description	Size	Spec	Price
	Custom blends available upon request Ex. SHA Turf grass Mix, SHA Temporary Mix				
	ANNUAL	Annual Rye	50 lb.		
	2255	Premium Mix	25 lb.		
	2244	Contractors Blend	50 lb.		
	2266	SHA Turfgrass	50 lb.		

Fertilizers: Any material of natural or synthetic origin (other than liming materials) that is applied to soils or to plant tissues (usually leaves) to supply one or more plant nutrients essential to the growth of plants.

Image	Item Number	Description	Size	Spec	Price
FERTUZER	*Custom blends available upon request*				
	101010	10-10-10 (Starter Mix)	50 lb.		
	181818	18-18-18	50 lb.		
	4624938	Lime Pelletized	40 lb.		

Hydro Seeding Materials: (or hydraulic mulch seeding, hydro-mulching, hydro seeding) is a planting process that uses a slurry of seed and mulch. It is often used as an erosion control technique on construction sites, as an alternative to the traditional process of broadcasting or sowing dry seed.



Most often consists of water, seeds, fertilizer, cellulose fiber or wood mulch, and soil treatment agents. When sprayed onto the ground, the mulch in the mixture forms a moist protective coating for the seeds, allowing them to germinate.

Image	Item Number	Description	Size	Spec	Price
	2239	Hydro Mulch//Hydro-Pro	50 lb./40p		
		100% Paper			
	DYE	Hydro Green Dye Package			
	TACK3	Pro Tackifier III	3 lb./1 acre		
	SEED AID	Seed Aid-Penn Mulch-Cover Grow	40 lb./48p		
	STRAW	Straw Bale	Large		

Filter Log: Erosion Control Logs, commonly called wattles, are a very effective sediment control measure. Available in a variety of sizes: 8", 12" and 18", and 24", additional diameters are available for more severe applications. Erosion Control Logs are contained by a photodegradable netting which is designed to last at least two construction seasons.



Field tested and proven, our pre-filled sock ranges from 8 to 24-inches. Each pre-filled sock contains well-aged shredded and ground hardwoods for exceptional sediment prevention.

Available in UV resistant shrink wrapping or in super Sacks for tough installations.

Can be used as inlet protection, Diversion berm, perimeter control, slope interruption, and ditch check.

Image	Item Number	Description	Size	Spec	Price
	111799-8X190	Filled Sock (stakes included)	8"x190'		
	111799X10F	Filled Sock (no stakes)	12"x10'		
	111799	Filled Sock (stakes included)	12"x110'		
	111799B	Filled Sock (stakes included)	18"x55'		
	111799-24x35	Filled Sock (stakes included)	24"x35'		
	SSFAB12	Netting ONLY	1850′		

Soil Stabilization: We offer a full line of erosion control blankets. These products range from short term, extended term, long term, and permanent Rolled Erosion Control Products. Additionally, excelsior and straw sediment control logs, excelsior and excelsior blend mulch may be provided. Our full line of short term, extended and long term ECBs and sediment control products provide performance and longevity to meet a variety of needs. We also have a permanent line to provide outstanding value, longevity and performance in turf reinforcement.



Erosion Control Blankets are biodegradable materials that can be used to protect disturbed slope and channel areas from wind and water erosion. The blanket materials are natural materials such as straw, wood excelsior, coconut, or are geotextile synthetic woven materials such as polypropylene.

Other styles are available upon request

Image	Item Number	Description	Size	Spec	Price
	SR18X1125	Single Net Straw Regular net Photodegradable <12	8'x112.5'(100sy)		

	SS28X1125	Double Net Straw Regular net Photodegradable <12	8'x112.5'(100sy)	Туре Е
	2242A	Single Net Curlex Regular Net	4'x112.5'	
	2224A	Single Net Curlex Regular Net	8'x112.5'	
	87347	Double Net Curlex Regular Net	4'x112.5'(50sy)	Type A
	87349NN	Double Net Curlex Regular Net	8'x112.5'(100sy)	Type A
	87349NN	Double Net Curlex Natural net	8'x112.5'(100sy)	Type A
	87059	Curlex Net Free 100% Biodegradable	8'x90'	
	29573	Quick Green Curlex 100% Biodegradable		
All Natural	BIOMAC	BIOMAC 100% Coconut Blanket 100% Natural net Biodegradable	8'x112.5'(100sy)	
CoirMat 700	COIR700	Coir Mat 700g 100% Natural net	6.5'x164'(118.5sy)	Type D
	87108	Recyclex TRM 10oz	8'x90'(80sy)	

	87107	Recyclex TRMV 8oz	8'x112.5'(100sy)	Туре В
	ENKAMAT 7010	EnkaMat 7010	8'X169'(150sy)	
	ECP-2	ECP-2	8'x112.5'(100sy)	Type C
	PP510	PP5-10 Double net Fiber filled trim >36	8'x112.5'(100sy)	Туре В
	81443	Jute Matting	4'x225'(100sy)	
	7002181	Burlap Matting	3'x48'	
Photo above	6111199	Burlap Matting	3'x24'	
Photo above	BURLAP48300	Burlap Matting(untreated)	48"x300'	
	2314	Straw Wattle	9'x25'	
Photo above	2299	Curlex Log	20"x10'	
	87003	Coir Log	12"x10'	
Blankets can come	in different types of r	net. EX. Natural, Photo	degradable, Biodegra	adable

Sod Staples: Sod Staples come in several different options. There is bio degradable options available for those that need to be eco-friendly and 11 gauge u shape sod staples for permanent holding.

	dog fences & ele	Sod staples are typically used for securing landscape fabric, weed barrier fabric, dog fences & electric fences, controlling weed, securing synthetic turf, to hold down irrigation pipes, pvc pipes and holding sod.				
Image	Item Number	Description	Size	Spec	Price	
	2236	4" Sod Staples	1000/Box			
	2236-100	6" Sod staples	100/box			
Photo above	2236	6" Sod Staples	1000/box			

^{*}Pricing is subject to change without notice*

- PO	NSROUNDTOP	6" Round Top	1000/box
	WPIN6	Wood Biodegradable pin 6"	50/bag
	WPIN12	Wood Biodegradable pin 12"	500/Box
	GS450	4" Biodegradable Pins	50/box
Photo above	GS4	4" Biodegradable Pins	500/box
	GS650	6" Biodegradable Pins	50/box
Photo above	GS6	6" Biodegradable Pins	500/box
	STAPLESETTER	U shape Staple Installer	
	STAPLEDRIVER	U shape Staple Installer	

Inlet Protection: We have several different types of products that can be used for inlet protection. Our Diamond Sock (compost filter sock), GeoHay, Inlet filter mats, and Dandy products. Depending on your preference and job will determine which product will work best. These protectors can be used for construction, storm water and sediment control, industrial and landscaping uses. The most common uses are for: ditch checks, boundary protection, grate inlet filters, check dams, dewatering projects, and curb inlet filters.



Our Gutter Guard/Geo Hay/Gutter Buddy can be installed above ground and can be formed around or across the curb inlet. It is designed for curb inlets without grates where water flow is critical. Installed as a grate or curb inlet filter, it can be used to reduce pollutants in the storm water. With the product's ease of installation and adaptability, GeoHay has also been used on hard surfaces where installing with a stake or rebar is much more difficult.


Image	Item Number	Description	Size	Spec	Price
Photo above	NS81018	Gutter Guard	9"x6'		
		PRO			
Photo above	NS81013	Gutter Guard	9"x10'		
		PRO			
Photo above	NS81011	Gutter Guard	9"x12'		
		PRO			
Photo above	NS81040	Gutter Guard	9"x16'		
		PRO			




Magnetically attached to the storm water inlet's grate, the vertically aligned coir fibers of the Blackhawk Filter Mat create a high flow, extremely effective sediment and debris filter.

Scalloped edges and top surface inlet ports create an exceptionally large filtration surface that practically eliminates sediment and dramatically reduces the chances of street flooding.

^{*}Pricing is subject to change without notice*





Dandy Curb Bag

48"x24"

30"x17" 23"x19" Double Bags 30"x17"

		19"x17" 36"x18"
Dandy Curb	Dandy Curb	4' 6' 8' 10' 12' 14' 16'
	Dandy Sack	24"x24" 36"x24" 36"x36" 48"x24" 48"x36"
Driving Pop	Dandy Pop	30"x30" 40"x40" 50"x50"
Dandy Curb Sado	Dandy Curb Sad	k Up to 4'x4'

Gabion/Reno Mattress:

Are rectangular baskets made of heavily galvanized or PVC, double twisted, steel woven wire-mesh. The single unit constructed baskets are assembled, laced together and then filled with stone to form a monolithic structure.



Gabions and Reno mattresses are used for retaining walls, sound barriers, channel linings, slope stabilization, dams and weirs. They are particularly effective in restoring the environment and promoting vegetation growth.

Image	Item Number	Description	Size	Spec	Price
		Galvanized	6x3x3	<u>-</u>	
		Gabion	9x3x3		
			12x3x3		
			6x3x1.5		
			9x3x1.5		
			12x3x1.5		
			6x3x1		
			9x3x1		
			12x3x1		
		Galvanized	9x6x6"		
		Reno	12x6x6"		
			9x6x9"		
The state of the s			12x6x9"		
Section 1			12x6x1		
		PVC Gabion	6x3x3		
			9x3x3		
			12x3x3		
			6x3x1.5		
			9x3x1.5		
			12x3x1.5		
AVOXXXX			6x3x1		
			9x3x1		
William .			12x3x1		
		PVC Reno	9x6x6"		
			12x6x6"		
			9x6x9"		
			12x6x9"		
			12x6x1		

^{*}Pricing is subject to change without notice*

Bags:							
Image	Item Number	Description	Size	Spec	Price		
		Sand Bag Filled (white)	75 lb.(18"x30")				
	SANDBAGL	Sand Bag unfilled (white)	75 lb.(18"x30")				
		Sand Bag Filled (orange)	40 lb.(14"x26")				
	SANDBAGS	Sand Bag unfilled (orange)	40 lb.(14"x26")				
		Ton Sack	3'x3'x3'				

Zip Ties/ Cable Ties:



Image	Item Number	Description	Size	Spec	Price
	5928387	Ties 8" (black)	25/bag		
	0138248	Ties 8" (black)	100/bag		
	3232667	Ties 8"(black)	1000/bag		
	0138289	UV Ties 11" (black)	100/bag		
	6626238	UV Ties 14" (black)	100/bag		
	2916278	HD Ties 18"(black)	10/bag		
	4244729	UVB Ties 24" (black)	50/bag		

Marking Paint:



20 oz. Cans of marking paint: Various Colors

20657-Flo Orange, 20654 Flo Red, 20678 Flo Yellow, 20679 Flo Pink, 20652 White, 20668 Flo Green, 20663 Black, 20669 Flo Blue

Image	Item Number	Description	Size	Spec	Price
	8264608	Marking Spray Wand	Lightweight		

Flagging Ribbon:

Weatherproof Poly Vinyl Chloride For Harsh Outdoor Conditions. Bright, Fade-Resistant Color For Maximum Visibility. Constructed Of Non-Adhesive, Non Conducting Vinyl. Used In Applications Such As Construction, Landscaping, Excavating, Identification Of Trees Or Hazards, And Locating Underground Cables Or Pipe.

1-3/16" Wide, 2 Mil Thick.



150' Lengths: (5499454) Pink, (20931) Flo Green/Lime, (4084182) Flo Red 300'- Lengths: (20912)Yellow, (20910)Blue, (5499512)Orange, (16486090White

Flagging Stakes:

Bright colors for maximum visibility. Durable compounds resist fading. Each flag is 2.5"x3.5"x21". 100 per pack



Various Colors:

(4683173 Flo Green/Lime) (8046328 Pink) (8826620 Blue) (1456227 Flo Red) (2912020 Orange) (2770675 White)

Pro Braided Chalk Line: Line Reel Made Of Durable Polyethylene With Rewind Hand Crank Or Auto Wind With Power Screwdriver. Reload Rolls Of Line Easily, Adjust To Different Lengths Of Cores; Fits All Line With 1" Cores From 4" To 6" Long And Line Secures In Convenient Notch. Quality #18 Twisted Or Braided Nylon Line.



250' String Line with Reel-(7314214-pink) (8423428 Orange) 500' String Line with Reel- (1586007 Pink) (5770474 Orange) 500' Refill- (7029390 Pink) 540' Refill- (6758494 Orange)

Signs:

















sturbance Permitted	Then For Your Factors.
WETLAND PROTECTION AREA TO SHALL A PARILLE TO SHALL	FOREST CONSERVATION AREA DO NOT DISTURB UNCOR PREMALY OF LAW NO DUMPING NO HOTORIZED NO MOTORIZED YEMICLES VENICLES VENI

Image	Item Number	Description	Size	Spec	Price
FOREST RETENTION AREA WITHOUT AND WITHOUT AREA WITHOUT AREA WITHOUT AREA WITHOUT AND WITHOUT AND	FOREST	Forest Retention English	11"x15"		

PREE ON AREA ON PRINCIPLE ON A PRES ON A PRINCIPLE	5555	Tree Protection Bilingual	18"x12"	
FOREST CONSERVATION AREA DO NOT DISTURB UNCOR FEMALTO (LIMI NO DUMPING NO UNIVERSITY VENICLES ************************************	STYLE61	Forest Conservation Area	6"x8"	
FOREST BUFFER DO NOT DISTURB	STYLE48	Forest Buffer		

<u>Gravel-Lok:</u> A pervious aggregate bonding system that is a single component, moisture curing liquid scientifically designed to bond together a wide variety of aggregates creating a permeable and durable natural stone surface system- bonded aggregates-which can be utilized in a wide variety of civil, residential and industrial applications.



Image	Item Number	Description	Size	Spec	Price
	GLKA	Amber	1 gallon		
	GLKA5	Amber	5 gallon		
	GLK50	Amber 50 gallon			
	GLKC	Clear	Clear 1 gallon		
	GLKC5	Clear	5 gallon		
	GLKC50	Clear	50 gallon		
	DIYPG	Amber Kit	2/12oz liquid—50#		
			stone		
	DIYDR	Amber Kit	2/12oz liquid—50#		
			stone		
	GVWA	Gravity Wand	5 lbs.		
1		Applicator			
•/					
1					

<u>Load Support Grid:</u> Provides superior support to your pavement system. The system confines materials and prevents lateral movement away from the applied load. The stabilizer grid acts as a large mat, by spreading the load over an extended area while increasing the load bearing capacity of the pavement surface.





Image	Item Number	Description	Size	Spec	Price
	LSG3	Load Support Grid 3"	(9'x24') 215sf/unit		
	LSG4	Load Support Grid 4"	(9'x24') 215sf/unit		

	LSG6	Load Support Grid 6"	(9'x24') 215sf/unit	
	JHR18	J Hook #4 Rebar	18"	
Photo above	JHR24	J Hook #4 Rebar	24"	

Slope Grid, Channel Grid, and Verti-Cell are also available as special order

Slope Grid, Channel Grid, and Verti-Cell are also available as special order Other Miscellaneous Landscaping Items:						
Image	Item Number	Description	Size	Spec	Price	
	2241	T Post painted w kick plate	6'	·		
	FENCE	Welded Wire Fence	2"x4" 48"x100' 14gauge			
	FENCE-3FT	Welded Wire Fence	2"x4" 36"x100' 14 gauge			
	6450613	Hardware Cloth *other sizes available*	½"x24"x5′			
	6100234	Hardware Cloth *other sizes available*	½"x36"x10′			
	2250	Orange Safety Fence	4'x100'			
	5074547	Diversion Fabric Black 10mil *other types available*	20'x100'			
	9571225	"Use As A Bird Barrier Over Bushes And Shrubs. Can Also Be Used As A Temporary Cover Over Ponds And Landscaping To Protect From Deer Damage."	7'x100'			
Weed Block	6320725	Weed Block Fabric	3'x50'			

Freight Terms: FOB Germantown, MD 20876
Price quotes are subject to change without notice and does not includes sales tax.

^{*}Pricing is subject to change without notice*